Multi-scale multi-dimensional imaging at I13-coherence branchline in Diamond Light Source

Silvia Cipiccia*¹, Darren Batey¹, Xiaowen Shi¹, Scott Williams¹, Kaz Wanelik¹, Andy Wilson¹, Peter Martin², Tom Scott², and Christoph Rau¹

¹Diamond Light Source, Harwell Science and Innovation Campus, Fermi Avenue, Didcot OX11 0QX, UK

²University of Bristol, Senate House, Tyndall Avenue, Bristol BS8 1TH

*silvia.cipiccia@diamond.ac.uk

The Coherence branch of the I13 beamline in Diamond Light Source is specialized in reciprocal space imaging using Ptychography[1] and Bragg CDI techniques[2]. The experimental hutch is 220 m from the synchrotron source, providing the x-ray beam with intrinsic high spatial coherence. The capacious hutch allows variable sample-detector distance up to 14.5 m. This, in combination with the use of the large area photon counting detector Excalibur, enables fields of view as large as 500 μ m, resolution down to tens of nanometers and acquisition rate in excess of 100 Hz. Recently the ptychography scan has been combined to the x-ray fluorescence scan to simultaneously access the chemical and structural information of the sample [3].

Here we present the most recent ptycho-fluorescence results achieved.

References

- [1] Darren J. Batey, T. B. Edo, Christoph Rau, Ulrich Wagner, Zoran Pesic, Tom Waigh, John Rodenburg *Reciprocal-space up-sampling from real-space oversampling in x-ray ptychography*, Physical Review A89 (4) (2014).
- [2] Marcus Newton, Aaron Parsons, Ulrich Wagner, Christoph Rau, *Coherent x-ray diffraction imaging of photo-induced structural changes in BiFeO 3 nanocrystals*, New Journal Of Physics 18 (2016).
- [3] Peter Martin, Silvia Cipiccia, Darren Batey, Keith Hallam, Ian Ang Xing Yang, Christopher Jones, Yukihiko Satou, Ian Griffiths, Christoph Rau, David Richards, Tom Scott, *Internal analysis of a Fukushima-derived particle using high-resolution synchrotron techniques*, submitted to Environmental Science & Technology (2018)