

The TMO Instrument: Opportunities and Plans for Time-resolved Atomic, Molecular and Optical Science at LCLS-II

Peter Walter*, Jean- Charles Castagna, Michael Holmes, Michael Minitti, and David Fritz

SLAC National Accelerator Laboratory, USA

*pmwalter@stanford.edu


The unique capabilities of LCLS, the world's first hard X-ray FEL, have had significant impact on advancing our understanding across a broad range of science, from fundamental atomic and molecular physics, to condensed matter, to catalysis and to structural biology.

A major upgrade of the LCLS facility, the LCLS-II project, is now underway. LCLS-II is being developed as a high-repetition rate X-ray laser with two simultaneously operating, independently tunable FELs. It features a 4 GeV continuous wave superconducting linac that is capable of producing uniformly spaced (or programmable) ultrafast X-ray laser pulses at a repetition rate up to 1 MHz spanning the energy range from 0.25 to 5 keV.

The Time resolved AMO (TMO) instrument, one of the four new LCLS-II instruments, will support AMO science, strong-field- and nonlinear-science, and a new dynamic reaction microscope. TMO will support many experimental techniques not currently available at LCLS and will locate two experimental endstations. A new reaction microscope endstation will house a COLTRIMS type spectrometer to accommodate extreme vacuum, sub-micron focus spot size, and target purity requirements as dictated by coincidence experiments. The accumulation of data will be performed on an event-by-event basis using the 1MHz full repetition rate of LCLS-II. A second TMO endstation will be optimized for performing high energy, high resolution, angular- and/or time-resolved photoelectron spectroscopic measurements. By leveraging its existing suite of spectrometers (i.e. high resolution iTOF, eTOF, LAMP double-sided VMIs, Kaesdorf spectrometers) a high resolution, high throughput, hemispherical electron analyzer will also be available. The photon fluence at TMO should reach up to 10^{22} photons/cm², thus allowing to be tailored to specific experimental needs.

This talk will present some of the important science opportunities, new capabilities and instrumentation being planned for NEH 1.1 (TMO) at LCLS-II.

Acknowledgments: The Linac Coherent Light Source (LCLS) at the SLAC National Accelerator Laboratory is an Office of Science User Facility operated for the U.S. Department of Energy Office of Science by Stanford University. This work was supported by the U.S. Department of Energy, Office of Science, Basic Energy Sciences under Contract No. DEAC02-76SF00515.



Experimental setup of the NEH 1.1. Showing both TMO endstations.